



*Tecumseh*

## SILAJ4511N-FZ

Condensing unit  
220 - 240V 1~ 50 Hz

### UE 2015/1095, Product Efficiency Report - SEPR

Application : High Temp. Commercial  
Refrigerant : R1234yf  
Frequency : 50 Hz  
Condition: Dew  
Operating conditions : EN13215

Evaporating : -10.0 °C  
Return gas temp. : 20.0 °C  
Superheat : 30 K  
Subcooling : 3.0 K

#### Parameters at full load and ambient temperature 32 °C

rated cooling capacity	$P_A$	1600	Watt
Rated power input	$D_A$	832	Watt
Rated COP	$COP_A$	1.92	Watt/W

#### Parameters at full load and ambient temperature 25 °C

rated cooling capacity	$P_B$	1780	Watt
Rated power input	$D_B$	805	Watt
Rated COP	$COP_B$	2.21	Watt/W

#### Parameters at full load and ambient temperature 43 °C

rated cooling capacity	$P_3$	1315	Watt
Rated power input	$D_3$	856	Watt
Rated COP	$COP_3$	1.54	Watt/W

#### Others items

Capacity control	Fixe
------------------	------

Tecumseh Europe Sales Logistics S.A.S.

2, Avenue Blaise Pascal, 38090 Vaulx Milieu, France - Tel : +33(4) 74 82 24 00

tecsup@tecumseh.com - www.tecumseh.com

Page 1/1

Date 20/01/2021